

## **AMENDMENTS TO THE CLAIMS**

The following listing of claims will replace all prior versions and listings of claims in the application.

### **LISTING OF CLAIMS**

1. (previously presented) A convertible roof attachment system for an automobile, the system comprising:
  - at least one retractable, cross-car elongated member;
  - each elongated member including at least one channel pair having a first channel and a second channel, the second channel being located adjacent to the first channel such that the first channel opens into the second channel;
  - a pliable sheet; and
  - a pliable sheet fastener having a retention portion and a head, the retention portion being inserted through the pliable sheet such that the retention portion penetrates the pliable sheet until the head abuts the pliable sheet adjacent a pliable sheet mating portion, the retention portion being fastenably secured within the first channel, the head being located in the second channel, and both the mating portion and the head being fully recessed within the channels.
2. (original) The system of Claim 1, wherein the cross-car elongated member comprises a metal material.
3. (original) The system of Claim 1, wherein the cross-car elongated member comprises one of a polymeric material and a composite material.

4. (original) The system of Claim 1, wherein the cross-car elongated member comprises a retractable roof bow.

5. (original) The system of Claim 1, further comprising:  
each elongated member having a plurality of sides; and  
at least two of the sides each include at least one of the channel  
pairs.

6. (original) The system of Claim 1, wherein the first channel and the second channel are each formed as a plurality of intermittent channels each adjacently spaced to at least overlap each other.

7. (original) The system of Claim 1, further comprising a washer disposed between the head of the pliable sheet fastener and the pliable sheet to increase an area of the pliable sheet mating portion contacting the second channel.

8. (original) The system of Claim 1, wherein the pliable sheet is a fabric roof cover.

9. (original) The system of Claim 1, wherein the elongated member is part of a retractable top stack mechanism supporting the pliable sheet.

10. (original) The system of Claim 1, wherein the pliable sheet is a headliner.

11. (original) The system of Claim 1, further comprising at least one attachment fastener spaced apart from the pliable sheet fastener, the attachment fastener being secured and recessed within the first and second channels.

12. (original) A flexible cover attachment system for a vehicle, comprising:

at least one cross-car elongated member;

the member including at least one pair of parallel aligned, communicating inner and outer channels disposed throughout a continuous length of the member;

a flexible covering having an inner layer and an outer layer; and

at least one fastener having a body and an enlarged head, the body penetratingly coupled with the inner layer until the head is in abutting engagement with the inner layer;

wherein the body is fastenably engaged in the inner channel until the head in abutting engagement with the inner layer is fully recessed within the outer channel such that the head is not substantially visible through the outer layer when the flexible covering is connectably attached to the member.

13. (original) The system of Claim 12, wherein the inner layer comprises a plurality of individual sections, each individual section adjacent one of the at least one cross-car elongated member.

14. (original) The system of Claim 13, wherein each said individual section comprises a polymeric sleeve disposed in a receiving pocket attached to the outer layer.

15. (original) The system of Claim 12, wherein the at least one fastener comprises a plurality of one of screws and bolts.

16. (original) The system of Claim 12, wherein the at least one fastener comprises a plurality of self tapping screws.

17. (original) The system of Claim 12, wherein the at least one fastener comprises a plurality of rivets.

18. (original) The system of Claim 12, wherein the inner layer further includes a plurality of preformed apertures sized to matingly engage the body of the at least one fastener.

19. (original) The system of Claim 12, wherein the outer layer comprises a water resistant fabric.

20. (withdrawn) A convertible roof attachment system for an automotive vehicle, the system comprising:

a roof bow having a longitudinal axis and at least one external face;

the roof bow including at least one channel disposed in the external face,  
the channel arranged in parallel with the longitudinal axis;

the channel configurable to matingly receive at least one cover retention  
fastener; and

the at least one fastener having a body and an enlarged head, the body  
engagingly coupled within the channel until the head is fully recessed within the  
channel.

21. (withdrawn) The system of Claim 20, wherein the channel includes a  
length approximately equal to a roof bow length.

22. (withdrawn) The system of Claim 20, wherein the channel comprises a  
plurality of channel segments each arranged in parallel with the longitudinal axis.

23. (withdrawn) The system of Claim 22, wherein individual ones of the  
channel segments are each separable from an adjacent one of the channel segments  
by a common length gap.

24. (withdrawn) The system of Claim 20, wherein the channel further  
comprises:

a first channel; and

a second channel located adjacent to the first channel such that the  
first channel opens into the second channel;

wherein the body of the at least one fastener engagingly couples  
within the first channel until the head is fully recessed within the second channel.

Claims 25 – 31 (Cancelled)